
Parasite Protocol



Disclaimer

I am not a medical professional and cannot predict or guarantee results. The data provide is for informational purposes and should not be mistaken as medical advice. The approach is broad spectrum to target most types of parasites. The presented information is compiled from various research. If you choose to try any of the listed ingredients, be sure to check for interactions with existing medications and seek medical advice from a professional.

Assumptions: Anyone considering this approach will read all 8 pages of this document numerous times and view content in the Resources section.

Ingredients

- Fenbendazole (Cattle/Goat Safeguard-Liquid 100mg/1mL) (FNBN) with high fatty food
- Ivermectin (Equine Bimectin-Paste) (IVM) on empty stomach
- Oxfendazole (Cattle/Goat Synanthic-Liquid 22.5%) (OXF) with high fatty food
- Moxidectin (Equine Quest-Paste) (MOX) on empty stomach
- MesoSilver (AGNP) 30 min before dinner or late at night 1 hour after food orally, rectally, or nebulizer
 - Avoid AG2+ based (ionic) colloidal silver products while taking doxycycline. Mesosilver is
 AGNP (inert). For simplicity, schedule calls for silver or doxycycline, but never both together.
- Psyllium Husk Fiber- late at night 1 hour after food (PF)
- Mineral Oil late at night 1 hour after food (MinO)
- Harris Food Grade Diatomaceous Earth (DE)
- Doxycycline (DOXY) (optional) 2x daily for 14 days repeat for 3 months, then discontinue

Vendor Recommendations

Valley Vet - https://www.valleyvet.com

Jeffers Pet - https://www.jefferspet.com

Revival - https://www.revivalanimal.com

Animal Health International - https://www.animalhealthinternational.com

Apex Energetics - https://www.apexenergetics.com

Purest Colloids - https://www.purestcolloids.com

OTC Providers (allow 3-4 weeks for delivery)

Pharmacy Delivers – https://pharmacydelivers.com (coupon PP5)

All Day Chemist – https://alldaychemist.com

Vitamins/Supplements

Elemental Zinc – up to 17-25 mg 2x/day

Vitamin C – up to 1000 mg/day per 25 lbs

Vitamin D – up to 1000 iu/day per 10 lbs

Multivitamin - daily

Saccharomyces Boulardii – daily

Selenium – 200mcg daily

Probiotics – 5 billion CFU, minimum of 11 strains – daily NAC (N-acetylcysteine) – daily (optional)

Mimosa Pudica (optional - once a week)

Protocol Info

Protocol A – this is a general monthly protocol – if Herxheimer Reactions are severe, reduce dosage or discontinue until the reactions have stopped

Protocol B – this is a 1-month protocol based on Fenbendazole and Ivermectin only, with both taken for a longer period to deal with difficult/persistent infections (ie. cancer); this may be repeated before moving back to Protocol A or moving on to Protocol C

Protocol C – this is a monthly protocol designed for maintenance, no sooner than after 6 months when parasites are no longer detected in the stool

Sample Approach:

Protocol A for the first month. Half dosing may help to determine tolerance. Upon completion of Protocol A roll right into Protocol B for 2 months. This will cover the first 3 months. Then repeat Protocol A for the next 3 months. Finally, start Protocol C at month #7 if parasites are no longer detected in stool.

Ingredient Information

Acronym	Ingredient	Price	Qty	URL	Dosing	110 lbs	220 lbs
FNBN	Safeguard Liquid Fenbendazole	\$139.95	1 L	Valley Vet, Jeffers Pet, Revival, Animal Health International	50 mg/kg	25 mL	50 mL
IVM	1.87% Ivermectin	\$7.99	6.08 G	Valley Vet, Jeffers Pet, Revival, Animal Health International	0.2 mg/kg	10 mg	20 mg
OXF	Synanthic Oxfendazole 22.5%	\$134.49	500 mL	Valley Vet, Jeffers Pet, Revival, Animal Health International	17-20 mg/kg	850 mg (3.75 mL)	1700 mg (7.5 mL)
MOX	Quest Moxidectin	\$11.99	14.4 G	Valley Vet, Jeffers Pet, Revival, Animal Health International	0.5 mg/kg	25 mg	50 mg
AGNP	Mesosilver	\$52.87	500 mL	https://www.purestcolloids.com/mesosi lver.php	30 mL		
DOXY	Fishbiotics Doxycycline	\$44.99	100 mg 30 ct	Valley Vet	100 mg 2x/day		
DE	Harris Food Grade Diatomaceous Earth	\$9.99	4 lbs	Home Depot	1 TBSP		
MinO	Mineral Oil			Web search	3 Tsp		
PF	Psyllium Husk Fiber			Web search	2 TBSP		

^{*} Note: If fighting cancer, a multivitamin, vitamin C (high dose), and zinc have shown to be very effective when paired with fenbendazole and oxfendazole (see Resources section).

Protocol A - Monthly Calendar

1	2	3 - Full Moon	4	5	6	7
DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)
8	9	10	11	12	13	14
DOXY 100mg (AM) *AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) DOXY 100mg (PM)	DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)
15	16	17	18 - New Moon	19	20	21
AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	OXF 17mg/kg AGNP 30mL	OXF 17mg/kg AGNP 30mL	OXF 17mg/kg AGNP 30mL	AGNP 30mL 2 TBSP PF 3 Tsp MinO 1 TBSP DE	AGNP 30mL 2 TBSP PF 3 Tsp MinO 1 TBSP DE
22	23	24	25	26	27	28
AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	MOX 0.5mg/kg AGNP 30mL	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE
29	30					
AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	*note: on days 1-14, take either DOXY or AGNP, but not both.				

Protocol B – Monthly Calendar

1	2	3 - Full Moon	4	5	6	7
DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGN P 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)
8 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	9 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mLb DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FN BN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	DOXY 100mg (AM) *AGNP 30mLb DOXY 100mg (PM) FNBN 50mg/kg (PM)
AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	17 IVM 0.2mg/kg AGNP 30mL	18 - New Moon IVM 0.2mg/kg AGNP 30mL	19 IVM 0.2mg/kg AGNP 30mL	IVM 0.2mg/kg AGNP 30mL	21 IVM 0.2mg/kg AGNP 30mL
22 IVM 0.2mg/kg AGNP 30mL	23 IVM 0.2mg/kg AGNP 30mL	IVM 0.2mg/kg AGNP 30mL	25 MM 0.2mg/kg AGNP 30mL	26 IVM 0.2mg/kg AGNP 30mL	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE
AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE		*note: on days 1	-14, take either DOXY or	AGNP, but not both.	

Protocol C – Monthly Calendar

1	2	3 - Full Moon	4	5	6	7
AGNP 30mL	AGNP 30mL	AGNP 30mL	AGNP 30mL	AGNP 30mL	AGNP 30mL	AGNP 30 mL
OXF 20mg/kg	OXF 20mg/kg	OXF 20mg/kg	OXF 20mg/kg	2 TBSP PF (PM) 1 TBSP DE	2 TBSP PF (PM) 1 TBSP DE	2 TBSP PF (PM) 1 TBSP DE
8	9	10	11	12	13	14
AGNP 30mL 2 TBSP PF (PM)	AGNP 30mL 2 TBSP PF (PM)	AGNP 30mL 2 TBSP PF (PM)	AGNP 30 mL 2 TBSP PF (PM)			
1 TBSP DE	1 TBSP DE	3 Tsp MinO (PM) 1 TBSP DE	3 Tsp MinO (PM) 1 TBSP DE	3 Tsp MinO (PM) 1 TBSP DE	1 TBSP DE	1 TBSP DE
15	16	17	18 - New Moon	19	20	21
AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	AGNP 30mL MOX 0.5mg/kg	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30 mL 2 TBSP PF (PM)) 1 TBSP DE
22	23	24	25	26	27	28
AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	AGNP 30 mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE			
29	30					
AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE					

Symptoms

Symptoms of parasitic infections may vary from person to person. While we do not know for sure, try to approach this with the idea that parasitic infections may be the root cause of most of the ailments encountered during our lifetimes. Here is an incomplete list of symptoms that may be caused by parasitic infections:

Abdominal pain/cramps	Fatigue/lethargy			
Acid reflux	Fibromyalgia			
Acne	Forgetfulness			
Allergy related symptoms (runny nose, dry cough, red eyes, dermatitis, etc.)	Frequent urination (especially at night)			
Anxiety	Hair loss			
Athlete's foot	Heart disease			
Autoimmune disorders	Hemorrhoids			
Bad breath	High blood pressure			
Bloating/gas especially after eating	IBS/IBD			
Blood in stool	Joint pain			
Body odor	Mood swings			
Breathing problems	Muscle cramps			
Bubbly gut, more than usual	Nervousness			
Cancer – various types	Night sweats			
Chest pain	Numbness in hands or feet			
Chronic infections	Pancreatitis			
Chronic UTIs	Restless leg syndrome			
Constipation	Ringworm			
Crohn's disease	Seizures			
Cysts	Skin rashes			
Depression	Stinging or burning sensation in intestines			
Diabetes	Teeth grinding			
Diarrhea	Ulcerative colitis			
Difficulty concentrating	Ulcers			
Difficulty sleeping	Unexplained weight loss or gain			
Distended belly	Vertical ridges on fingernails – lack of nutrient uptake			
Dizziness	Vitamin deficiencies – even if taking supplements			
Eczema	Waking up in the middle of the night for a bowel movement			

If you have a symptom that is not included, do a web search for your symptom and parasites. Chances are, you'll find a correlation.

Notes

- 1. Start day for protocol is set 2 days BEFORE Full Moon OR New Moon to target parasitic activity.
- 2. If possible, avoid alcohol while on the protocol. No alcohol should be consumed within 48 hours of taking Ivermectin due to negative effect on the liver. Products containing acetaminophen can also lead to liver injury.
- 3. Effective dosing for fenbendazole is 30-50mg/kg of body weight in humans. Cattle receives 5mg/kg and canine dosing is 50-100mg/kg. The variation is due to the length of the intestinal tract. A shorter intestinal tract means that fenbendazole will be processed throughout the body much quicker, requiring a higher dosing to achieve effectiveness. The protocol is set for 50mg/kg, but anywhere between 30-50mg/kg may produce desired results.
- 4. Ivermectin dosing is generally 0.2mg/kg. There are cases where a higher dose may be required, but this document will focus on 0.2mg/kg. If taking a paste form of Ivermectin, the tube has body weight markers. Following those markers will deliver 0.2mg/kg.
- 5. Moxidectin dosing is 0.5mg/kg. The Quest Gel is set up to deliver 0.4mg/kg if following the weight markers. An addition of 25% will need to be added to the weight on the tube to achieve 0.5.mg/kg dosing. Moxidectin has a half-life of 23.3 days.
- 6. Products containing Praziquantel are not accounted for in this document. Praziquantel is primarily used to kill tapeworms that are resistant to anti-parasitics listed above. Praziquantel is not intended for use as part of this approach.
- 7. Effectiveness of some of the available supplements such as MMS/CD, wormwood, black seed oil, and black walnut hull is unknown. They may or may not be effective at killing parasites. The problem is, there are so many vendors in the supplements market and little to no regulation. How pure are the products? What is the effective dosing to kill parasites? There are many reports of people taking these products claiming that it feels like their parasites scatter throughout their body. The goal is to paralyze, starve, and kill them, not force them into hiding. Since effectiveness of these alternative supplements is not established, they are avoided during the early stages of the protocol. The active ingredients (fenbendazole, oxfendazole, ivermectin, moxidectin) are highly regulated and tested.
- 8. It is not necessary to rapidly switch to a no/low carb diet; instead, consider a gradual approach. Parasites feed off sugar. The medication is most effective when parasites are aggregated in the gut/intestines trying to feed. Starving parasites may force them into hibernation. Diet is ultimately important and cutting out processed/refined sugars may yield many benefits. Natural sugars found in fruits, vegetables may contain adequate sugar for parasites to continue feeding and supply the body with vitamins, minerals, and antioxidants.
- 9. Vitamin C is a crucial ingredient with doxycycline for cancer treatment. Multi-vitamins are also very important with fenbendazole or oxfendazole to treat cancer. Zinc is a crucial ingredient for fighting viral infections. The ingredients in this protocol have shown in medical research to eliminate many cancers from leukemia to breast to stomach.
- 10. If taking MesoSilver orally, take 30 minutes before food, let sit under tongue for 60 seconds for maximum absorption, and swallow. Mesosilver is not the same as ionized silver. Mesosilver is inert. Ionized silver breaks down immediately because silver ions are converted into silver chloride. Don't just take any colloidal silver and think you'll get the same results.
- 11. Doxycycline is an optional product that may be taken with the protocol and is included in the regimen. If doxycycline can't be obtained, know that Mesosilver fights bacteria in addition to

- targeting fungus and single cell parasites. The protocol is designed in a way to take either doxycycline or Mesosilver each day. There is evidence that taking both may be beneficial. Ionized silver products can decrease the effectiveness of doxycycline. Again, Mesosilver is inert silver nanoparticles, not ionized silver.
- 12. The use of probiotics and Saccharomyces Boulardii can help regulate bacteria in the stomach and prevent yeast overgrowth that can be caused from taking antibiotics and/or Mesosilver.
- 13. Mineral oil can be substituted with other oils such as olive oil and coconut oil.
- 14. The listed medications and associated URLs are not endorsements. Price and availability may vary.
- 15. The protocol calls for specific medications on specific days to account for the fact that parasites can develop resistance to medications. If you complete multiple cycles starting on the full moon and notice it becoming less effective over time, try switching to a new moon cycle. Rotating products helps avoid parasitic resistance, which can occur from both long-term use and underdosing.
- 16. As parasites die off, they may release bacteria and toxins within the body which is referred to as a Herxheimer Reaction. The Herxheimer Reaction is an immune system reaction to the toxins (endotoxins) that are released when large amounts of pathogens are being killed off, and the body does not eliminate the toxins quickly enough. As the body detoxifies, it is not uncommon to experience flu-like symptoms including fever, headache, joint and muscle pain, body aches, sore throat, general malaise, sweating, chills, nausea, vertigo, light-headedness, or other symptoms. Rashes may occur as well. If the symptoms are extreme, try backing off the protocol and resuming once symptoms clear up. Being able to handle these toxins with antioxidants and super green food chelators minimizes damage done. Expect to have some type of Herxheimer Reaction. Benadryl and Epsom salt baths may significantly reduce Herxheimer reactions. Opening detox pathways via exercise or lymphatic massage may also help reduce Herxheimer reactions.
- 17. This is a "repeat until all symptoms are gone, and no fecal worms/eggs present for 3 consecutive months" approach. Monthly Doses of moxidectin can be taken prophylactically to prevent repeat infections. A one-month protocol may be completed 1-2x per year afterward for most effective results.
- 18. Fenbendazole and oxfendazole are most effective with fatty meals for absorption purposes.
- 19. Pregnant, breastfeeding women, and children should not take any anti-parasitic medications without consulting a medical professional.
- 20. This approach is one element to cleansing the body as the common invaders are often parasitic, fungal, bacterial, and viral. Other issues may have to be addressed such as proper diet, exercise, fungal overgrowth, and cleansing of vital organs.
- 21. Lastly, this document will continue to evolve over time. Regimens may be altered to target specific parasites once they have been identified.

Resources

http://floridasharkman.org/

https://debugyourhealth.com/parasites-in-humans/#Parasite-Prevention

https://www.mycancerstory.rocks/

https://www.drugs.com/pro/moxidectin.html

https://search.nih.gov/search?affiliate=nih&query=parasites+and+cancer - use the search bar to conduct additional queries such as fenbendazole and cancer or ivermectin and cancer

https://mmsinfo.org/protocols/Kalcker_Parasite_Protocol-K._Rivera_2014_book.pdf

Sharkman's Protocol found on the Human Parasite Support Network – group has a lot of good information and people who share their experiences with parasites, but keep in mind, some also try products not recommended in this protocol:

https://www.facebook.com/groups/HumanParasites/permalink/428226290925742/

Online Calculator:

https://www.contrabandcures.com/Parasite_Protocol/

Video Discussion of Parasites:

https://rumble.com/vuew8a-tka-live-parasite-cleanse-part-2-with-iet-and-ssgq.html

Fenbendazole Research Paper:

https://etd.auburn.edu/bitstream/handle/10415/5410/Final%20thesis%20edits%208-15-16.pdf?sequence=2

Glioblastoma linked to T. Gondii (Toxoplasmosis):

https://www.sciencedaily.com/releases/2021/01/210111084223.htm

Ivermectin and Glioblastoma:

https://www.osti.gov/biblio/22696697-anthelmintic-drug-ivermectin-inhibits-angiogenesis-growth-survival-glioblastoma-through-inducing-mitochondrial-dysfunction-oxidative-stress

Major Enzymes Responsible for Metabolism of Albendazole and Fenbendazole in Human Liver Microsomes:

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3811268/

Unexpected antitumorigenic effect of fenbendazole when combined with supplementary vitamins: https://pubmed.ncbi.nlm.nih.gov/19049251/